



MIB 406

New Product Release Document

Marketing Department.

April 14, 2022

This document is created to register the marketing communication collaterals and process details for the launch of the above-mentioned pattern; it is intended for internal circulation and approval for further dissemination. All facts and figures mentioned in the document is true to the best of our knowledge as on the above said date, for updated information please feel free to visit the website www.ascensotyres.com

New Product Release Document

List of Sizes

Release Month: April'22

Brand: ASCENSO

Tread Pattern : MIB 406

Tyre Construction: Bias

Type: Tube Less

Main Applications: Compact Wheel Loader, Backhoe loader, Telescopic Handler and Grader

TRA Code : L2/G2

Size	LSI
13.00-24	14
14.00-24	16
15.5-25	12
17.5-25	16



Salient Features

Robust Solid Centre Block Pattern:

- Provides Maximum Ground Contact.
- Ensures Even Load Distribution.
- Suitable for Rugged Terrains.
- The Open Shoulder Lug Pattern Provides Excellent Traction.



Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	LI/SI OR PR	Inflation Pressure	Recommended load, kg (lbs)	
		SW	OD					Speed, km/h (mph)	
		mm	mm					10	40
		in	in					7	25
13.00-24	10	353	1278	581	3822	14 PR 170 A2	5.25	6000	3000
		13.9	50.3	22.9	150.5		77	13200	6600
14.00-24	10	377	1348	610	4032	16 PR 177 A2	5.5	7300	3650
		14.8	53.1	24.0	158.7		80	16060	8030
15.5-25	13	404	1278	583	3822	12 PR 168 A2	4	5600	2650
		15.9	50.3	23.0	150.5		59	12320	5830
17.5-25	14	445	1346	611	4026	16 PR 177 A2	4.75	7300	3350
		17.5	53.0	24.1	158.5		69	16060	7370

Note: All tyres conform to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com